

**115N0657****Optyma™, OP-HGZ064D40Q**

Segment usage: Medium Back Pressure, Refrigerant: R134a; R404A; R448A; R449A; R452A; R513A, Compressor power supply [V/Ph/Hz]: 230/3/60

PRODUCT DETAILS

Gross weight	173 kg
Net weight	158 kg
Air flow @ 60Hz [m³/h]	8800 m³/h
Applications	HBP MBP
Compressor model	MTZ064-3
Compressor power supply [V/Ph/Hz]	230/3/60
Condenser type	N8
Description	OP-HGZ064D40Q
Electrical code	Q
Fan blade size [mm]	457 mm
Fan current @ 60Hz [A]	3.6 A
Fan diameter [mm]	457 mm
Fan power consumption @ 60Hz [W]	450 W
Fan power output @ 60Hz [W]	450 W
Fan power supply [V/Ph/Hz]	230/1/60
MCC	29 A
Model number	OP-HGZ064D40Q
No. of phases (compressor)	3
No. of phases (fan)	1
Number of fans	2
Receiver volume [L]	18 L
Refrigerant	R134a R404A R448A R449A R452A R513A
RLA	19.8 A
Segment usage	Medium Back Pressure
Technology	Reciprocating
Type	Optyma™
Type designation	Condensing Units
Version	D40
	Optyma - Standard version for Brazil + full E-box + Housing

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [↗](#)

Spare Parts



014L0026 [↗](#)

SGP 16 I, Sight glass, FLARE, 16.00 mm, FLARE, 16.00 mm

Inlet connection type: FLARE, Inlet size [mm]: 16.00, Outlet connection type: FLARE, Outlet size [mm]: 16.00



023Z5045 [↗](#)

Hermetic filter drier, DML, 16 cu.in., Steel

Inlet connection type: FLARE, Outlet connection type: FLARE, Core Size code: 16 cu.in.



061F6050 [↗](#)

Cartridge pressure switch, ACB, 26.50 bar, 18.00 bar

Higher activ. pressure [bar]: 26.50, Lower activ. pressure [bar]: 18.00, Reset function: Auto, Contact function: SPST(NC), Pressure connection type: Flare, Pressure connection size: 1/4 in, Electrical connection: Cable, Enclosure rating IP: IP65



118U6014 [↗](#)

Condensing Units Accessories & Spare parts : Receiver

Receiver 18L



120Z0459 [↗](#)

Compressors Accessories : PTC heater

PTC heater 27W



120Z0638 [↗](#)

Compressors Accessories : 175PZ

POE lubricant, 175PZ, 1-litre can



191U006610 [↗](#)

Condensing Units Accessories & Spare parts : Miscellaneous

Suction Accumulator, ASD100H11 1 3/8 in



191U007710 [↗](#)

Condensing Units Accessories & Spare parts : Oil Separator

Oil Separator, Hermetic OSD025H05 5/8in

Image coming soon

191U0645E [↗](#)

Condensing Units Accessories & Spare parts

MCHE, N8 Coil + Fan shroud

For more information, please use this link to visit the product page on Danfoss Product Store [↗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Spare Parts

**191U127767** [🔗](#)**Condensing Units Accessories & Spare parts : Kit housing**

Housing, N8 Optyma™ Line

**191U9907** [🔗](#)**Condensing Units Accessories & Spare parts : Filter**

Basket Filter,35 X 38MM APC-474 1 3/4 in

**6804503V04** [🔗](#)**Condensing Units Accessories & Spare parts : Service Valve**

Rotalock valve V04 1 1/4-12R X 3/4 S

**6804506V02** [🔗](#)**Condensing Units Accessories & Spare parts : Service Valve**

Rotalock valve V02 1 3/4 -12R X 1 1/8 S

**6804507V10** [🔗](#)**Condensing Units Accessories & Spare parts : Service Valve**

Rotalock valve V10 1-14R X 5/8 S

**MTZ64-3VI** [🔗](#)**Reciprocating compressor, MTZ64HM3AVE**

Refrigerant: R134a; R404A; R407A; R407C; R407F; R448A; R449A; R452A; R513A, Segment usage:

Refrigeration MT, Compressor power supply [V/Ph/Hz]: 200-230/3/60

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.